GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services - MA&UD Department - Allegations of irregularities in entrustment and execution of works taken up under SC Sub-Plan in Nandigama Nagara Panchayat - Departmental proceedings initiated against Sri A.J.Mathew, the then Municipal Commissioner and three (3) engineering officials of Nandigama Nagar Panchayat under Rule-20 of APCS (CC&A) Rules, 1991 - Appointment of Sri J.Rama Krishna, Superintendent Engineer-I, Vijayawada Municipal Corporation as an Enquiry Officer - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II.1) DEPARTMENT

G.O.RT.No. 275 **Dated: 27-03-2019.**
Read the following:-

1) From General Administration (V&E) Department, Vigilance Report No.18 (164/V&E/E/2018), dated.27.02.2018.
2) G.O.Rt.Nos.992 to 995, MA&UD (Vig.II.1) Department, dated.29.10.2018.
3) WSD of Sri B.Rama Krishna, MAE, Nandigama Nagara Panchayat, dated.24.01.2019.
4) WSD of Sri K.Phani Bhushana Rao, Dy.E.E., PH Sub-Division, Vijayawada, dated.04.02.2019.
5) WSD of Sri A.J.Mathew, Grade-III Municipal Commissioner, dt.11.2.2019.

***

O R D E R:

Whereas, an inquiry under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against Sri A.J.Mathew, the then Municipal Commissioner, Sri K.Phani Bhushan Rao, Deputy Executive Engineer and Sri B.Rama Krishna, Assistant Engineer of Nandigama Nagar Panchayat for allegations of irregularities in entrustment and execution of works taken up under SC Sub-Plan in Nandigama Nagara Panchayat.

2. Whereas, it is considered that an Enquiry Officer should be appointed to inquire into the charges framed against above said officers.

3. Now, therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (CC&A) Rules, 1991, the disciplinary authority hereby appoints Sri J.Rama Krishna, Superintendent Engineer-I, Vijayawada Municipal Corporation as an Enquiry Officer to enquire into charges framed against the above said officials at para (1) above.

4. The Enquiry Officer shall submit his report within three months.

5. The Director of Municipal Administration/ the Engineer-in-Chief (PH), A.P., Guntur shall provide the required material such as Article of Charges, Written Statement of Defence of the Charged Officers etc., to the Enquiry Officer.

(P.T.O)

6. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri J.Rama Krishna, Superintendent Engineer-I & Enquiry Officer,
Vijayawada Municipal Corporation - **through** the ENC (PH), A.P., Guntur.
The Commissioner & Presenting Officer, Nandigama Nagara Panchayat
– **through** the DMA., A.P., Guntur.
Sri A.J.Mathew, the then Municipal Commissioner, Nandigama Nagara Panchayat
– **through** the DMA., A.P., Guntur.
Sri K.Phani Bhushan Rao, Dy.E.E., PH Sub-Division, Vijayawada
- **through** the ENC (PH)., A.P., Guntur.
Sri B.Rama Krishna, A.E., Nandigama Nagara Panchayat
- **through** the ENC (PH)., A.P., Guntur.
The Director of Municipal Administration, A.P., Guntur.
The Engineer-In-Chief (PH), A.P., Guntur.

Copy to:

The Director General, G.A. (V&E) Department, A.P., Vijayawada.
The Secretary to A.P. Vigilance Commission, 5th Building, A.P. Secretariat.
SF / SCs.

// FORWARDED BY ORDER //

SECTION OFFICER.